

New Mexico Department of Game and Fish Project ID: NMERT-3668 Project Number: Private land

PROJECT INFORMATION

Project Title: Forest Restoration stewardship management plan

Project Type: FOREST VEGETATION MANAGEMENT/RESTORATION

Latitude/Longitude (DMS): 34.007228 / -107.230258

County(s): SOCORRO

Project Description: Stewardship plan to improve forest stand health and decrease catastrophic wildfire risk

by reducing basal area (stand density), create and maintain defensible space around structures and buffer around property boarder. Reduce ladder fuels by thinning small trees in the understory of dominant trees. Promote a healthy forest stand by releasing some large dominate trees and improve resilience and tree vigor by thinning stands

where appropriate. No forest thinning will be conducted at this time.

REQUESTOR INFORMATION

Project Organization:

Contact Name: Eugenio Padilla

Email Address: eugenio.padilla@emnrd.nm.gov

Organization: EMNRD - Forestry Division


Address: 1701 Enterprise Steet, Socorro NM 87801

Phone: 5054791565

OVERALL STATUS

This report contains an initial list of recommendations regarding potential impacts to wildlife or wildlife habitats from the proposed project; see the Project Recommendations section below for further details. Your project proposal is being forwarded to a New Mexico Department of Game and Fish (Department) biologist for review to determine whether there are any additional recommendations regarding the proposed actions. A Department biologist will be in touch within 30 days if there are further recommendations regarding this project proposal.

Page 1 of 10 7/22/2024 04:36:21 PM






About this report:

- This environmental review is based on the project description and location that was entered. The report must be updated if the project type, area, or operational components are modified.
- This is a preliminary environmental screening assessment and report. It is not a substitute for the potential wildlife knowledge gained by having a biologist conduct a field survey of the project area. Federal status and plant data are provided as a courtesy to users. The review is also not intended to replace consultation required under the federal Endangered Species Act (ESA), including impact analyses for federal resources from the U.S. Fish and Wildlife Service (USFWS) using their Information for Planning and Consultation tool.
- This report contains information on wildlife species protected under the ESA and the Wildlife Conservation Act (WCA), Species of Greatest Conservation Need (SGCN), and Species of Economic and Recreational Importance (SERI). Species listed under the ESA are protected from take at the federal level and under the WCA are protected from take at the state level. SGCN are identified in the State Wildlife Action Plan (SWAP) for New Mexico; all of these species are considered to be of conservation concern but not all of them are protected from take at the state or federal level. The harvest of all SERI is regulated at the state level. The Department has no authority to designate critical habitat for species listed under the WCA; only the USFWS can designate critical habitat for species listed under the ESA.
- The New Mexico Environmental Review Tool (ERT) utilizes species observation locations and species habitat suitability models, both of which are subject to ongoing change and refinement. Inclusion or omission of a species within a report cannot guarantee species presence or absence within your project area. To determine occurrence of any species listed in this report, or other wildlife that may be present within your project area, onsite surveys conducted by a qualified biologist during appropriate, species-specific survey timelines may be necessary.
- The Department encourages use of the ERT to modify proposed projects for avoidance, minimization, or mitigation of wildlife impacts. However, the ERT is not intended to be used in a repeatedly iterative fashion to adjust project attributes until a previously determined recommendation is generated. The ERT serves to assess impacts once project details are developed. The New Mexico Crucial Habitat Assessment Tool, the data layers from which are included in the ERT, is the appropriate system for advising early-stage project planning and design to avoid areas of anticipated wildlife concerns and associated regulatory requirements.

Page 2 of 10 7/22/2024 04:36:21 PM



Forest Restoration stewardship management plan



NHNM, USGS, USFS, US Census Bureau, NMDGF
Esri, NASA, NGA, USGS, FEMA
Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, Bureau of Land Management, EPA, NPS, US Census Bureau, USDA, USFWS

Page 3 of 10 7/22/2024 04:36:21 PM



Special Status Animal Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDGF (WCA)	NMDGF	USFS	USFS SCC	BLM
Common Name	Scientific Name	031 W3 (E3A)	MINDOI (WCA)	SGCN/SERI	0313	0313300	DLIVI
Mountain Treefrog	Hyla wrightorum			SGCN			
Boreal Chorus Frog	Pseudacris maculata			SGCN			
Barking Frog	Craugastor augusti			SGCN			
Plains Leopard Frog	Lithobates blairi			SGCN			BLM WATCH
Chiricahua Leopard Frog	<u>Lithobates chiricahuensis</u>	LT		SGCN	Sensitive Species		
Peregrine Falcon	Falco peregrinus		Т	SGCN			BLM WATCH
Mountain Plover	<u>Charadrius montanus</u>			SGCN	Sensitive Species		BLM WATCH
Flammulated Owl	Otus flammeolus			SGCN			BLM WATCH
Elf Owl	Micrathene whitneyi			SGCN			BLM WATCH
Western Burrowing Owl	Athene cunicularia hypugaea			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Mexican Spotted Owl	Strix occidentalis lucida	LT		SGCN			
Common Nighthawk	<u>Chordeiles minor</u>			SGCN			
Lewis's Woodpecker	Melanerpes lewis			SGCN		USFS R3 SCC	BLM WATCH
Red-Headed Woodpecker	Melanerpes erythrocephalus			SGCN			
Williamson's Sapsucker	Sphyrapicus thyroideus			SGCN			
Olive-Sided Flycatcher	Contopus cooperi			SGCN			
Bank Swallow	Riparia riparia			SGCN			
Pinyon Jay	Gymnorhinus cyanocephalus			SGCN		USFS R3 SCC	BLM SENSITIVE
Clark's Nutcracker	Nucifraga columbiana			SGCN			
Juniper Titmouse	Baeolophus ridgwayi			SGCN		USFS R3 SCC	BLM WATCH
Pygmy Nuthatch	Sitta pygmaea			SGCN			
Western Bluebird	Sialia mexicana			SGCN			
Mountain Bluebird	Sialia currucoides			SGCN			
Loggerhead Shrike	<u>Lanius ludovicianus</u>			SGCN		USFS R3 SCC	BLM WATCH

Page 4 of 10 7/22/2024 04:36:21 PM




Special Status Animal Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDGF (WCA)	NMDGF SGCN/SERI	USFS	USFS SCC	BLM
Gray Vireo	<u>Vireo vicinior</u>		Т	SGCN	Sensitive Species	USFS R3 SCC	BLM WATCH
<u>Virginia's Warbler</u>	Leiothlypis virginiae			SGCN			BLM SENSITIVE
Black-Throated Gray Warbler	Setophaga nigrescens			SGCN			BLM WATCH
Grace's Warbler	Setophaga graciae			SGCN		USFS R3 SCC	BLM WATCH
Red-Faced Warbler	Cardellina rubrifrons			SGCN		USFS R3 SCC	
Painted Redstart	Myioborus pictus			SGCN			
Black-Chinned Sparrow	Spizella atrogularis			SGCN			BLM WATCH
Chestnut-Collared Longspur	Calcarius ornatus			SGCN			BLM SENSITIVE
Cassin's Finch	Haemorhous cassinii			SGCN			BLM WATCH
Evening Grosbeak	Coccothraustes vespertinus			SGCN			
Spotted Bat	Euderma maculatum		Т	SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Pale Townsend's Big-Eared Bat	Corynorhinus townsendii pallescens			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Gunnison's Prairie Dog	Cynomys gunnisoni			SGCN	Sensitive Species		BLM SENSITIVE
Mexican Wolf	Canis lupus baileyi	LE,XN	E	SGCN			
Black Bear	Ursus americanus			SGCN			
Mountain Lion	Puma concolor			SGCN			
Elk	<u>Cervus canadensis</u>			SGCN			
Mule Deer	Odocoileus hemionus			SGCN			
<u>Pronghorn</u>	Antilocapra americana			SGCN			
Rock Rattlesnake	<u>Crotalus lepidus</u>			SGCN			

Common Name hyperlink takes you to species account in bison-m.org; Scientific Name hyperlink takes you to information in NatureServe Explorer; ESA = Endangered Species Act, C = Candidate, LE = Listed Endangered, LT = Listed Threatened, XN = Non-essential Experimental Population, for other ESA codes see this website; WCA = Wildlife Conservation Act, E = Endangered, T = Threatened; SERI = Species of Economic and Recreational Importance; SGCN = Species of Greatest Conservation Need; USFS = U.S. Forest Service, Sensitive Species = A species likely to occur on USFS lands that is of concern for a potential reduction in population viability; SCC = Species of Conservation

Page 5 of 10 7/22/2024 04:36:21 PM





Concern; BLM = Bureau of Land Management, BLM SENSITIVE = A species that occurs on BLM lands and whose viability is at risk, BLM WATCH = Species that may be added to the sensitive species list in future pending new information regarding species status.

Page 6 of 10 7/22/2024 04:36:21 PM



Project Recommendations

Your proposed project activities may require a custom review for assessment of potential effects to wildlife. See the "OVERALL STATUS" section above to determine the likelihood that your project will be reviewed further based on its location. A Department biologist will confirm whether any additional conservation measures are needed. You should expect to receive any additional project recommendations within 30 days of your project submission. If the "OVERALL STATUS" section indicates that no further consultation with the Department is required based on its location, then you will only receive additional project feedback from the Department if a biologist deems it necessary.

All migratory birds are protected against direct take under the federal Migratory Bird Treaty Act (16 U.S.C. Sections 703-712), and hawks, falcons, vultures, owls, songbirds, and other insect-eating birds are protected under New Mexico State Statutes (17-2-13 and 17-2-14 NMSA), unless permitted by the applicable regulatory agency. To minimize the likelihood of adverse impacts to migratory birds, nests, eggs, or nestlings, the Department recommends that ground disturbance and vegetation removal activities be conducted outside of the primary migratory bird breeding season of April 15-September 1. Breeding season may begin earlier for raptors or when working in low-elevation habitats such as deserts. If ground disturbing and clearing activities must be conducted during the breeding season, the area should be surveyed for active nest sites (with birds or eggs present in the nesting territory) and avoid disturbing active nests until young have fledged. For active nests, establish adequate buffer zones to minimize disturbance to nesting birds. Buffer distances should be at least 100 feet from songbird and raven nests; 0.25 miles from most raptor nests; and 0.5 miles for ferruginous hawk (*Buteo regalis*), golden eagle (*Aquila chrysaetos canadensis*), peregrine falcon (*Falco peregrinus*), and prairie falcon (*Falco mexicanus*) nests. Active nest sites in trees or shrubs that must be removed should be mitigated by qualified biologists or wildlife rehabilitators. Department biologists are available to consult on nest site mitigation and can facilitate contact with qualified personnel.

The list of New Mexico SGCN (see link, page 14, table 5) and the federal list of Birds of Conservation Concern should be reviewed to fully evaluate potential effects to migratory birds from your proposed project. Federal agencies are also required under Executive Order 13186 to implement standards and practices that lessen the amount of unintentional take attributable to agency actions. These conservation measures are strongly recommended to ensure persistence of migratory bird species whose populations are small and/or declining within New Mexico.

For forestry and forest restoration projects, including fire management activities, occurring in ponderosa pine forests, the Department recommends following the <u>Ponderosa Pine Restoration Guidelines to Benefit Wildlife</u>.

Page 7 of 10 7/22/2024 04:36:21 PM



For projects involving the use of herbicide application, the Department has the following recommendations to mitigate impacts to wildlife:

- To mitigate the potential for herbicide drift into sensitive aquatic and native riparian habitats, the Department recommends applying a minimum buffer of 20 ft (for spot applications), 100ft (if using ground application), 350 ft (if using low-altitude aerial spraying), or 1,320 ft (if using high-altitude aerial spraying; <u>USFWS 2007</u>) around all aquatic habitats and native riparian vegetation in the proposed treatment area.
- To mitigate the potential for herbicide drift into sensitive habitats for federally- or state-listed species, the
 Department recommends applying a minimum buffer of 10 ft (for spot applications), 90 ft (if using ground
 application), 300 ft (if using low-altitude aerial spraying), or 1,320 ft (if using high-altitude aerial spraying)
 around all known terrestrial habitats for federally- or state-listed species. Buffer distances are larger for insect
 pollinators of federally- or state-listed plants (2,640 ft for small pollinators, 10,560 ft for large pollinators such as
 bumble bees) (USFWS 2007).
- Use mechanical weed removal techniques or individual plant treatments when buffers cannot be implemented and federally- or state-listed species habitats are present.
- Apply herbicides directly to target plants, rather than broadly to large areas, whenever possible to avoid harming nearby non-target or native vegetation.
- Avoid herbicide spraying on days when wind speeds are high (> 10 mph) and on days when heavy rain is expected within 24 hours.
- Use the lowest concentration possible that will still allow for achievement of the desired result.
- Avoid applying herbicides to and removing vegetation that is being used by birds for nesting. When nesting
 birds may be present in target vegetation in the project area, herbicides should be applied outside of the
 breeding bird season (April September).
- In areas dominated by undesired or non-native plants, habitat loss may occur if herbicide is applied to the entire area, resulting in a total loss of vegetation. To avoid this, apply herbicides in a mosaic pattern, alternating treated and non-treated sites between years.
- The Department recommends not using herbicides that contain the following chemicals that have been found to be slightly to highly toxic to wildlife including birds, fish, and pollinators: 2,4-D, dichlobenil, dichlorprop, fluazifop, glyphosate, oxyfluorfen, propyzamide, quizalofop, sulfometuron, and triclopyr (Michael 2002).

Burrowing owl (*Athene cunicularia*) may occur within your project area. Burrowing owls are protected from take by the Migratory Bird Treaty Act and under New Mexico state statute. Before any ground disturbing activities occur, the Department recommends that a preliminary burrowing owl survey be conducted by a qualified biologist using the Department's <u>Burrowing Owl Survey Protocol</u>. Should burrowing owls be documented in the project area, please contact the Department or USFWS for further recommendations regarding relocation or avoidance of impacts.

Your project area intersects designated critical habitat for one or more species that are listed under the federal ESA. The Department recommends that you confirm this using the USFWS's Information for Planning and Consultation (IPAC) system (https://ipac.ecosphere.fws.gov/) and then reach out to the appropriate species lead(s) with the New Mexico Ecological Services Office of USFWS. The USFWS has authority to designate critical habitat for species listed under the WCA or ESA. If there are any federally-listed plants within your project area and your project has a federal nexus, you may find these recommendations from the USFWS useful: New Mexico; New Mexico; New Mexico; New Mexico; New Mexico.

Page 8 of 10 7/22/2024 04:36:21 PM



Prairie dog colonies may occur within the vicinity of your project area. Both black-tailed prairie dogs (*Cynomys ludovicianus*) and Gunnison's prairie dogs (*Cynomys gunnisoni*) are designated as New Mexico SGCN, and their colonies provide important habitat for other grassland wildlife. Wherever possible, occupied prairie dog colonies should be left undisturbed, and all project activities should be directed off the colony. Any burrows that are located on the project site should be surveyed by a qualified biologist to determine whether burrows are active or inactive and whether burrowing owls may be utilizing the site. Colonies within the range of the black-tailed prairie dog can be surveyed by a qualified biologist diurnally, year-round using binoculars. Colonies within the range of the Gunnison's prairie dog can be surveyed by a qualified biologist diurnally, using binoculars during the warmer months from April through October and by searching for fairly fresh scat and lack of cobwebs or debris at the mouths of burrows during the cold months (November through March). If ground-disturbing activities cannot be relocated off the prairie dog colony, or if project activities involve control of prairie dogs, the Department recommends live-trapping and relocation of prairie dogs. The Department can provide recommendations regarding suitability of potential translocation areas and procedures.

Your proposed project occurs within an area where springs or other important natural water features occur. This may result in the presence of a high use area for wildlife relative to the surrounding landscape. To ensure continued function of these important wildlife habitats, your project should consider measures to avoid the following.

- · Altering surface or groundwater flow or hydrology,
- Disturbance to soil that modifies geomorphic properties or facilitates invasion of non-native vegetation.
- Affecting local surface or groundwater quality.
- Creating disturbance to wildlife utilizing these water features. Disturbance to wildlife can be reduced through practices including clustering infrastructure and activity wherever possible, avoiding large visual obstructions around water features, and limiting nighttime project operations or activities.

Department biologists are available for site-specific consultation regarding measures to assist with management and conservation of these habitat resources.

Page 9 of 10 7/22/2024 04:36:21 PM



Disclaimers regarding recommendations:

- The Department provides technical guidance to support the persistence of all protected species of native fish and wildlife, including game and nongame wildlife species. Species listed within this report include those that have been documented to occur within the project area, and others that may not have been documented but are projected to occur within the project vicinity.
- Recommendations are provided by the Department under the authority of § 17-1-5.1 New Mexico Statutes
 Annotated 1978, to provide "communication and consultation with federal and other state agencies, local
 governments and communities, private organizations and affected interests responsible for habitat, wilderness,
 recreation, water quality and environmental protection to ensure comprehensive conservation services for
 hunters, anglers and nonconsumptive wildlife users".
- The Department has no authority for management of plants or Important Plant Areas. The New Mexico
 <u>Endangered Plant Program</u>, under the Energy, Minerals, and Natural Resources Department's Forestry
 Division, identifies and develops conservation measures necessary to ensure the survival of plant species
 within New Mexico. Plant status information is provided within this report as a courtesy to users.
 Recommendations provided within the ERT may not be sufficient to preclude impacts to rare or sensitive plants,
 unless conservation measures are identified in coordination with the Endangered Plant Program.
- Additional coordination and/or consultation may also be necessary under the federal ESA or National Environmental Policy Act (NEPA). Further site-specific mitigation recommendations may be proposed during ESA consultation and/or NEPA analyses or through coordination with affected federal agencies.

Page 10 of 10 7/22/2024 04:36:21 PM