

PROJECT INFORMATION

Project Title: DNA for aerial treatment project on the Wiggins Place allotment Project Type: FOREST VEGETATION MANAGEMENT/RESTORATION

Latitude/Longitude (DMS): 33.154743 / -104.237673

County(s): CHAVES

Project Description: Aerial Mesquite treatment for range improvements.

REQUESTOR INFORMATION

Project Organization:

Contact Name: Erin Salano

Email Address: erin.salano@dgf.nm.gov

Organization: New Mexico Department of Game and Fish

Address: 1 Wildlife Way, Santa Fe NM 87507

Phone: 5053215485

OVERALL STATUS

This report contains an initial list of recommendations regarding potential impacts to wildlife or wildlife habitats from the proposed project; see the Project Recommendations section below for further details. Your project proposal is being forwarded to a New Mexico Department of Game and Fish (Department) biologist for review to determine whether there are any additional recommendations regarding the proposed actions. A Department biologist will be in touch within 30 days if there are further recommendations regarding this project proposal.


Page 1 of 9 7/29/2025 11:00:20 AM

About this report:

- This environmental review is based on the project description and location that was entered. The report must be updated if the project type, area, or operational components are modified.
- This is a preliminary environmental screening assessment and report. It is not a substitute for the potential wildlife knowledge gained by having a biologist conduct a field survey of the project area. Federal status and plant data are provided as a courtesy to users. The review is also not intended to replace consultation required under the federal Endangered Species Act (ESA), including impact analyses for federal resources from the U.S. Fish and Wildlife Service (USFWS) using their Information for Planning and Consultation tool.
- This report contains information on wildlife species protected under the ESA and the Wildlife Conservation Act (WCA), Species of Greatest Conservation Need (SGCN), and Species of Economic and Recreational Importance (SERI). Species listed under the ESA are protected from take at the federal level and under the WCA are protected from take at the state level. SGCN are identified in the State Wildlife Action Plan (SWAP) for New Mexico; all of these species are considered to be of conservation concern but not all of them are protected from take at the state or federal level. The harvest of all SERI is regulated at the state level. The Department has no authority to designate critical habitat for species listed under the WCA; only the USFWS can designate critical habitat for species listed under the ESA.
- The New Mexico Environmental Review Tool (ERT) utilizes species observation locations and species habitat suitability models, both of which are subject to ongoing change and refinement. Inclusion or omission of a species within a report cannot guarantee species presence or absence within your project area. To determine occurrence of any species listed in this report, or other wildlife that may be present within your project area, onsite surveys conducted by a qualified biologist during appropriate, species-specific survey timelines may be necessary.
- The Department encourages use of the ERT to modify proposed projects for avoidance, minimization, or mitigation of wildlife impacts. However, the ERT is not intended to be used in a repeatedly iterative fashion to adjust project attributes until a previously determined recommendation is generated. The ERT serves to assess impacts once project details are developed. The New Mexico Crucial Habitat Assessment Tool, the data layers from which are included in the ERT, is the appropriate system for advising early-stage project planning and design to avoid areas of anticipated wildlife concerns and associated regulatory requirements.

Page 2 of 9 7/29/2025 11:00:20 AM

DNA for aerial treatment project on the Wiggins Place allotment



Texas Parks & Wildlife, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, USFWS NHMM, USGS, USFS, US Census Bureau, NMDGF Esri, NASA, NGA, USGS

Page 3 of 9 7/29/2025 11:00:20 AM

Special Status Animal Species Potentially within 1 Miles of Project Area

opeoid Glatas Alimai opeoids i Sterikiany William i Inines of Frojest Area												
Common Name	Scientific Name	USFWS (ESA)	NMDGF (WCA)	NMDGF SGCN/SERI	USFS	USFS SCC	BLM					
Barking Frog	Craugastor augusti			SGCN								
Plains Leopard Frog	Lithobates blairi			SGCN			BLM WATCH					
Northern Leopard Frog	<u>Lithobates pipiens</u>			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE					
Eared Grebe	Podiceps nigricollis			SGCN								
Clark's Grebe	Aechmophorus clarkii			SGCN								
American Bittern	Botaurus lentiginosus			SGCN			BLM WATCH					
Bald Eagle	<u>Haliaeetus leucocephalus</u>		Т	SGCN	Sensitive Species		BLM SENSITIVE					
Aplomado Falcon	Falco femoralis		E	SGCN								
Peregrine Falcon	Falco peregrinus		Т	SGCN			BLM WATCH					
Snowy Plover	Charadrius nivosus nivosus			SGCN								
Mountain Plover	<u>Charadrius montanus</u>			SGCN	Sensitive Species		BLM WATCH					
<u>Least Tern</u>	Sternula antillarum	LE	E	SGCN								
Elf Owl	Micrathene whitneyi			SGCN			BLM WATCH					
Western Burrowing Owl	Athene cunicularia hypugaea			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE					
Common Nighthawk	Chordeiles minor			SGCN								
Lewis's Woodpecker	Melanerpes lewis			SGCN		USFS R3 SCC	BLM WATCH					
Red-Headed Woodpecker	Melanerpes erythrocephalus			SGCN								
Bank Swallow	Riparia riparia			SGCN								
Pinyon Jay	Gymnorhinus cyanocephalus			SGCN		USFS R3 SCC	BLM SENSITIVE					
Pygmy Nuthatch	Sitta pygmaea			SGCN								
Sprague's Pipit	Anthus spragueii			SGCN			BLM SENSITIVE					
Loggerhead Shrike	<u>Lanius Iudovicianus</u>			SGCN		USFS R3 SCC	BLM WATCH					
Bell's Vireo	<u>Vireo bellii</u>		Т	SGCN			BLM SENSITIVE					

Page 4 of 9 7/29/2025 11:00:20 AM

Special Status Animal Species Potentially within 1 Miles of Project Area

	<u> </u>						
Common Name	Scientific Name	USFWS (ESA)	NMDGF (WCA)	NMDGF SGCN/SERI	USFS	USFS SCC	BLM
Black-Throated Gray Warbler	Setophaga nigrescens			SGCN			BLM WATCH
Vesper Sparrow	Pooecetes gramineus			SGCN			
Chestnut-Collared Longspur	<u>Calcarius ornatus</u>			SGCN			BLM SENSITIVE
Mexican Tetra	Astyanax mexicanus		Т	SGCN			BLM SENSITIVE
Arkansas River Shiner	Notropis girardi	LT	Е	SGCN			
Pecos Bluntnose Shiner	Notropis simus pecosensis	LT	Е	SGCN			
Flathead Catfish	Pylodictis olivaris			SERI			
Pecos Pupfish	Cyprinodon pecosensis		Т	SGCN			BLM SENSITIVE
<u>Least Shrew</u>	Cryptotis parva		Т	SGCN			BLM WATCH
Spotted Bat	Euderma maculatum		Т	SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Pale Townsend's Big-Eared Bat	Corynorhinus townsendii pallescens			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Black-Tailed Prairie Dog	Cynomys Iudovicianus			SGCN	Sensitive Species		BLM SENSITIVE
Mule Deer	Odocoileus hemionus			SERI			
Pronghorn	Antilocapra americana			SERI			
Western River Cooter	Pseudemys gorzugi		Т	SGCN			BLM SENSITIVE
Plainbelly Water Snake	Nerodia erythrogaster		Е	SGCN			
Western Ribbon Snake	Thamnophis proximus		Т	SGCN	Sensitive Species		
Rock Rattlesnake	Crotalus lepidus			SGCN			
Desert Massasauga	Sistrurus catenatus edwardsii			SGCN			

Common Name hyperlink takes you to species account in bison-m.org; Scientific Name hyperlink takes you to information in NatureServe Explorer; ESA = Endangered Species Act, C = Candidate, LE = Listed Endangered, LT = Listed Threatened, XN = Non-essential Experimental Population, for other ESA codes see this website; WCA = Wildlife Conservation Act, E = Endangered, T = Threatened; SERI = Species of Economic and Recreational Importance; SGCN = Species of Greatest Conservation Need; USFS = U.S. Forest Service, Sensitive Species = A species likely to occur on USFS lands that is of concern for a potential reduction in population viability; SCC = Species of Conservation Concern; BLM = Bureau of Land Management, BLM SENSITIVE = A species that occurs on BLM lands and whose viability is at risk, BLM WATCH = Species that may be added to the sensitive species list in future pending new information regarding species status.

Page 5 of 9 7/29/2025 11:00:20 AM

Project Recommendations

Your proposed project activities may require a custom review for assessment of potential effects to wildlife. See the "OVERALL STATUS" section above to determine the likelihood that your project will be reviewed further based on its location. A Department biologist will confirm whether any additional conservation measures are needed. You should expect to receive any additional project recommendations within 30 days of your project submission. If the "OVERALL STATUS" section indicates that no further consultation with the Department is required based on its location, then you will only receive additional project feedback from the Department if a biologist deems it necessary.

All migratory birds are protected against direct take under the federal Migratory Bird Treaty Act (16 U.S.C. Sections 703-712), and hawks, falcons, vultures, owls, songbirds, and other insect-eating birds are protected under New Mexico State Statutes (17-2-13 and 17-2-14 NMSA), unless permitted by the applicable regulatory agency. To minimize the likelihood of adverse impacts to migratory birds, nests, eggs, or nestlings, the Department recommends that ground disturbance and vegetation removal activities be conducted outside of the primary migratory bird breeding season of April 15-September 1. Breeding season may begin earlier for raptors or when working in low-elevation habitats such as deserts. If ground disturbing and clearing activities must be conducted during the breeding season, the area should be surveyed for active nest sites (with birds or eggs present in the nesting territory) and avoid disturbing active nests until young have fledged. For active nests, establish adequate buffer zones to minimize disturbance to nesting birds. Buffer distances should be at least 100 feet from songbird and raven nests; 0.25 miles from most raptor nests; and 0.5 miles for ferruginous hawk (Buteo regalis), golden eagle (Aquila chrysaetos canadensis), peregrine falcon (Falco peregrinus), and prairie falcon (Falco mexicanus) nests. Active nest sites in trees or shrubs that must be removed should be mitigated by qualified biologists or wildlife rehabilitators. Department biologists are available to consult on nest site mitigation and can facilitate contact with qualified personnel.

The list of New Mexico SGCN (see link, page 14, table 5) and the federal list of Birds of Conservation Concern should be reviewed to fully evaluate potential effects to migratory birds from your proposed project. Federal agencies are also required under Executive Order 13186 to implement standards and practices that lessen the amount of unintentional take attributable to agency actions. These conservation measures are strongly recommended to ensure persistence of migratory bird species whose populations are small and/or declining within New Mexico.

For forestry and forest restoration projects, including fire management activities, occurring in ponderosa pine forests, the Department recommends following the <u>Ponderosa Pine Restoration Guidelines to Benefit Wildlife</u>.

Page 6 of 9 7/29/2025 11:00:20 AM

For projects involving the use of herbicide application, the Department has the following recommendations to mitigate impacts to wildlife:

- To mitigate the potential for herbicide drift into sensitive aquatic and native riparian habitats, the Department recommends applying a minimum buffer of 20 ft (for spot applications), 100ft (if using ground application), 350 ft (if using low-altitude aerial spraying), or 1,320 ft (if using high-altitude aerial spraying; <u>USFWS 2007</u>) around all aquatic habitats and native riparian vegetation in the proposed treatment area.
- To mitigate the potential for herbicide drift into sensitive habitats for federally or state-listed species, the
 Department recommends applying a minimum buffer of 10 ft (for spot applications), 90 ft (if using ground
 application), 300 ft (if using low-altitude aerial spraying), or 1,320 ft (if using high-altitude aerial spraying)
 around all known terrestrial habitats for federally or state-listed species. Buffer distances are larger for insect
 pollinators of federally or state-listed plants (2,640 ft for small pollinators, 10,560 ft for large pollinators such as
 bumble bees) (USFWS 2007).
- Use mechanical weed removal techniques or individual plant treatments when buffers cannot be implemented and federally or state-listed species habitats are present.
- Apply herbicides directly to target plants, rather than broadly to large areas, whenever possible to avoid harming nearby non-target or native vegetation.
- Avoid herbicide spraying on days when wind speeds are high (> 10 mph) and on days when rain is expected within 48 hours.
- Apply herbicides no later than two months before normal spring runoff and high-water tables are anticipated in the project area and wait until streamflow is back below normal bank full stage to consider applying herbicides in the late summer or fall.
- Use the lowest concentration possible that will still allow for achievement of the desired result.
- Avoid applying herbicides to and removing vegetation that is being used by birds for nesting. When nesting birds may be present in target vegetation in the project area, herbicides should be applied outside of the breeding bird season (April – September).
- In areas dominated by undesired or non-native plants, habitat loss may occur if herbicide is applied to the entire area, resulting in a total loss of vegetation. To avoid this, apply herbicides in a mosaic pattern, alternating treated and non-treated sites between years.
- The Department recommends not using herbicides that contain the following chemicals that have been found to be slightly to highly toxic to wildlife including birds, fish, and pollinators: 2,4-D, dichlobenil, dichlorprop, fluazifop, glyphosate, oxyfluorfen, propyzamide, quizalofop, sulfometuron, and triclopyr (Michael 2002).

Our preliminary assessment indicates your project occurs in Lesser Prairie-chicken Crucial Habitat Category 3 (Modeled Habitat Zone).

Page 7 of 9 7/29/2025 11:00:20 AM

The Lesser Prairie-chicken (*Tympanuchus pallidicintus*) (LPC) was designated as a SGCN in New Mexico and the southern Distinct Population Segment, including populations in New Mexico and Texas, is federally listed as Endangered. The LPC Interstate Working Group has developed the Southern Great Plains Crucial Habitat Assessment Tool (<u>SGP-CHAT</u>) to designate and prioritize areas for LPC conservation activities and development. Our preliminary assessment indicates your project occurs in LPC habitat. For more information on the SGP-CHAT, contact Chanda Pettie, Industry LPC Program Contact with the Western Association of Fish and Wildlife Agencies, at (719) 207-5053 or chanda.pettie@wafwa.org.

If your project has potential to lead to take (including harassment, harm, pursuit, hunting, shooting, wounding, killing, trapping, capturing, collecting, or attempting to engage in these activities) of a LPC and you entered into the Candidate Conservation Agreement (CCA) or CCA with Assurances (CCAA) for the LPC with CEHMM, the Department recommends you contact CEHMM (575-885-3700). If your project may lead to take of a LPC and you did not enter the CCA/A with CEHMM, the Department recommends you contact Lauren Rangel, at 505-761-4745 or lauren rangel@fws.gov, who is the species lead for the LPC in the Ecological Services Office with USFWS. She is also the contact for the rangewide renewable energy Habitat Conservation Plan (HCP) if relevant for your project. The Department recommends a qualified, permitted biologist conduct surveys for the LPC according to these Lesser Prairiechicken Survey Protocols (or others recommended by USFWS) and following any training as required by USFWS.

Burrowing owl (*Athene cunicularia*) may occur within your project area. Burrowing owls are protected from take by the Migratory Bird Treaty Act and under New Mexico state statute. Before any ground disturbing activities occur, the Department recommends that a preliminary burrowing owl survey be conducted by a qualified biologist using the Department's <u>Burrowing Owl Survey Protocol</u>. Should burrowing owls be documented in the project area, please contact the Department or USFWS for further recommendations regarding relocation or avoidance of impacts.

Your project area intersects a Conservation Opportunity Area (COA) as identified in the <u>SWAP</u> for New Mexico. These areas contain high numbers of SGCN as identified in the SWAP and therefore represent areas where implementing conservation actions, including restoration projects intended to benefit wildlife, has higher potential to benefit a diversity of species. Within COAs, the Department encourages project proponents to consider (during project planning and design) and mitigate (during project implementation) potential adverse effects to non-federally listed SGCN and their habitats. State-listed and federally-listed species are protected from take by the New Mexico WCA and ESA, respectively, and migratory birds are protected from take by the Migratory Bird Treaty Act.

Your project area intersects designated critical habitat for one or more species that are listed under the federal ESA. The Department recommends that you confirm this using the USFWS's Information for Planning and Consultation (IPAC) system (https://ipac.ecosphere.fws.gov/) and then reach out to the appropriate species lead(s) with the New Mexico Ecological Services Office of USFWS. The USFWS has authority to designate critical habitat for species listed under the WCA or ESA. If there are any federally-listed plants within your project area and your project has a federal nexus, you may find these recommendations from the USFWS useful: New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; New Mexico; <a href=

Page 8 of 9 7/29/2025 11:00:20 AM

Prairie dog colonies may occur within the vicinity of your project area. Both black-tailed prairie dogs (*Cynomys ludovicianus*) and Gunnison's prairie dogs (*Cynomys gunnisoni*) are designated as New Mexico SGCN, and their colonies provide important habitat for other grassland wildlife. Wherever possible, occupied prairie dog colonies should be left undisturbed, and all project activities should be directed off the colony. Any burrows that are located on the project site should be surveyed by a qualified biologist to determine whether burrows are active or inactive and whether burrowing owls may be utilizing the site. Colonies within the range of the black-tailed prairie dog can be surveyed by a qualified biologist diurnally, year-round using binoculars. Colonies within the range of the Gunnison's prairie dog can be surveyed by a qualified biologist diurnally, using binoculars during the warmer months from April through October and by searching for fairly fresh scat and lack of cobwebs or debris at the mouths of burrows during the cold months (November through March). If ground-disturbing activities cannot be relocated off the prairie dog colony, or if project activities involve control of prairie dogs, the Department recommends live-trapping and relocation of prairie dogs. The Department can provide recommendations regarding suitability of potential translocation areas and procedures.

The proposed project occurs within or near a riparian area. Because riparian areas are important wildlife habitats, the project footprint should avoid removing any riparian vegetation or creating ground disturbance either directly within or affecting the riparian area, unless the project is intended to restore riparian habitat through non-native plant removal and replanting with native species. If your project involves removal of non-native riparian trees or planting of native riparian vegetation, please refer to the Department's habitat handbook guideline for Restoration and Management of Native and Non-native Trees in Southwestern Riparian Ecosystems. The New Mexico Riparian Habitat Map (NMRipMap) may also provide useful information on local riparian habitat composition and structure.

Disclaimers regarding recommendations:

- The Department provides technical guidance to support the persistence of all protected species of native fish and wildlife, including game and nongame wildlife species. Species listed within this report include those that have been documented to occur within the project area, and others that may not have been documented but are projected to occur within the project vicinity.
- Recommendations are provided by the Department under the authority of § 17-1-5.1 New Mexico Statutes
 Annotated 1978, to provide "communication and consultation with federal and other state agencies, local
 governments and communities, private organizations and affected interests responsible for habitat, wilderness,
 recreation, water quality and environmental protection to ensure comprehensive conservation services for
 hunters, anglers and nonconsumptive wildlife users".
- The Department has no authority for management of plants or Important Plant Areas. The New Mexico Endangered Plant Program, under the Energy, Minerals, and Natural Resources Department's Forestry Division, identifies and develops conservation measures necessary to ensure the survival of plant species within New Mexico. Plant status information is provided within this report as a courtesy to users. Recommendations provided within the ERT may not be sufficient to preclude impacts to rare or sensitive plants, unless conservation measures are identified in coordination with the Endangered Plant Program.
- Additional coordination and/or consultation may also be necessary under the federal ESA or National Environmental Policy Act (NEPA). Further site-specific mitigation recommendations may be proposed during ESA consultation and/or NEPA analyses or through coordination with affected federal agencies.

Page 9 of 9 7/29/2025 11:00:20 AM