



PROJECT INFORMATION

Project Title: Blue- El Paso Fiber
Project Type: COMMUNICATIONS, BURIED LINES/CABLES, BURIED LINES, NEW
Latitude/Longitude (DMS): 31.838675 / -107.919725
County(s): DONA ANA; GRANT; HIDALGO; LUNA
Project Description: Fiber optic conduit will be installed along NM-80 near Rodeo, NM, NM-9 to NM-11 to Deming, and I10 from Deming to Las Cruces. Construction will generally require a temporary 40-foot work area, while trench disturbance is expected to be limited to approximately 12-16 inches in width. Maximum excavation depth is anticipated to be approximately 4 feet for fiber-optic trenching/plowing and 10 feet for direction boring under roadways, utility infrastructure, and drainages. Trench, plow, and bore methods will be utilized where appropriate and most favorable to the land owner. The MMR team emphasized flexibility in route alignment to avoid cultural resources, environmentally sensitive areas, and other identified constraints. Typical bore lengths range from 400-600 feet, with specialized equipment capable of completing crossings of several thousand feet when needed

REQUESTOR INFORMATION

Project Organization:
Contact Name: Zane Robertson
Email Address: zrobertson@tierra-row.com
Organization: Tierra Right of Way, LTD.
Address: 1575 E River Rd, #201, Tucson AZ 85719
Phone: 425-903-2211


OVERALL STATUS

This report contains an initial list of recommendations regarding potential impacts to wildlife or wildlife habitats from the proposed project; see the Project Recommendations section below for further details. Your project proposal is being forwarded to a New Mexico Department of Wildlife (Department) biologist for review to determine whether there are any additional recommendations regarding the proposed actions. A Department biologist will be in touch within 30 days if there are further recommendations regarding this project proposal.

About this report:

- This environmental review is based on the project description and location that was entered. The report must be updated if the project type, area, or operational components are modified.
- This is a preliminary environmental screening assessment and report. It is not a substitute for the potential wildlife knowledge gained by having a biologist conduct a field survey of the project area. Federal status and plant data are provided as a courtesy to users. The review is also not intended to replace consultation required under the federal Endangered Species Act (ESA), including impact analyses for federal resources from the U.S. Fish and Wildlife Service (USFWS) using their [Information for Planning and Consultation tool](#).
- This report contains information on wildlife species protected under the ESA and the [Wildlife Conservation Act \(WCA\)](#), [Species of Greatest Conservation Need \(SGCN\)](#) (page 18, table 5), and Species of Economic and Recreational Importance (SERI). Species listed under the ESA are protected from take at the federal level and under the WCA are protected from take at the state level. SGCN are identified in the [State Wildlife Action Plan \(SWAP\) for New Mexico](#); all of these species are considered to be of conservation concern but not all of them are protected from take at the state or federal level. The harvest of all SERI is regulated at the state level. The Department has no authority to designate critical habitat for species listed under the WCA; only the USFWS can designate critical habitat for species listed under the ESA.
- The New Mexico Environmental Review Tool (ERT) utilizes species observation locations and species habitat suitability models, both of which are subject to ongoing change and refinement. Inclusion or omission of a species within a report cannot guarantee species presence or absence within your project area. To determine occurrence of any species listed in this report, or other wildlife that may be present within your project area, onsite surveys conducted by a qualified biologist during appropriate, species-specific survey timelines may be necessary. Any surveys including handling or capturing wildlife may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information.
- The Department encourages use of the ERT to modify proposed projects for avoidance, minimization, or mitigation of wildlife impacts. However, the ERT is not intended to be used in a repeatedly iterative fashion to adjust project attributes until a previously determined recommendation is generated. The ERT serves to assess impacts once project details are developed. The [New Mexico Crucial Habitat Assessment Tool](#), the data layers from which are included in the ERT, is the appropriate system for advising early-stage project planning and design to avoid areas of anticipated wildlife concerns and associated regulatory requirements.

Blue- El Paso Fiber



NHNM, USGS, USFS, US Census Bureau, NMDGF
CONANP, Esri, TomTom, Garmin, SafeGraph, FAO, METI/NASA, USGS, Bureau of Land Management, EPA, NPS, USFWS
Esri, USGS

Special Status Animal Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDOW (WCA)	NMDOW SGCN/SERI	USFS	USFS SCC	BLM
Colorado River Toad	Incilius alvarius		T	SGCN			
Barking Frog	Craugastor augusti			SGCN			
Plains Leopard Frog	Lithobates blairi			SGCN			BLM WATCH
Chiricahua Leopard Frog	Lithobates chiricahuensis	LT		SGCN	Sensitive Species		
Northern Leopard Frog	Lithobates pipiens			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
American Bittern	Botaurus lentiginosus			SGCN			BLM WATCH
Bald Eagle	Haliaeetus leucocephalus		T	SGCN	Sensitive Species		BLM SENSITIVE
Common Black-Hawk	Buteogallus anthracinus		T	SGCN	Sensitive Species		BLM WATCH
Aplomado Falcon	Falco femoralis		E	SGCN			
Peregrine Falcon	Falco peregrinus		T	SGCN			BLM WATCH
Snowy Plover	Anarhynchus nivosus nivosus			SGCN			
Long-Billed Curlew	Numenius americanus			SGCN 2025			BLM WATCH
Yellow-Billed Cuckoo	Coccyzus americanus	LT		SGCN 2025			
Flammulated Owl	Psilosops flammeolus			SGCN			BLM WATCH
Whiskered Screech-Owl	Megascops trichopsis		T	SGCN	Sensitive Species		
Elf Owl	Micrathene whitneyi			SGCN			BLM WATCH
Western Burrowing Owl	Athene cunicularia hypugaea			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Common Nighthawk	Chordeiles minor			SGCN			
Black Swift	Cypseloides niger			SGCN		USFS R3 SCC	
Broad-Billed Hummingbird	Cynanthus latirostris		T	SGCN	Sensitive Species		
Violet-Crowned Hummingbird	Amazilia violiceps		T	SGCN	Sensitive Species		
Lucifer Hummingbird	Calothorax lucifer		T	SGCN	Sensitive Species		

Special Status Animal Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDOW (WCA)	NMDOW SGCN/SERI	USFS	USFS SCC	BLM
Costa's Hummingbird	Calypte costae		T	SGCN	Sensitive Species		
Elegant Trogon	Trogon elegans		E	SGCN	Sensitive Species		
Lewis's Woodpecker	Melanerpes lewis			SGCN		USFS R3 SCC	BLM WATCH
Gila Woodpecker	Melanerpes uropygialis		T	SGCN	Sensitive Species	USFS R3 SCC	
Northern Beardless-Tyrannulet	Camptostoma imberbe		E	SGCN	Sensitive Species		BLM WATCH
Southwestern Willow Flycatcher	Empidonax traillii extimus	LE	E	SGCN 2025			
Thick-Billed Kingbird	Tyrannus crassirostris		E	SGCN	Sensitive Species		
Bank Swallow	Riparia riparia			SGCN			
Pinyon Jay	Gymnorhinus cyanocephalus			SGCN		USFS R3 SCC	BLM SENSITIVE
Juniper Titmouse	Baeolophus ridgwayi			SGCN		USFS R3 SCC	BLM WATCH
Pygmy Nuthatch	Sitta pygmaea			SGCN			
Western Bluebird	Sialia mexicana			SGCN			
Mountain Bluebird	Sialia currucoides			SGCN			
Bendire's Thrasher	Toxostoma bendirei			SGCN		USFS R3 SCC	BLM SENSITIVE
Sprague's Pipit	Anthus spragueii			SGCN			BLM SENSITIVE
Loggerhead Shrike	Lanius ludovicianus			SGCN		USFS R3 SCC	BLM WATCH
Bell's Vireo	Vireo bellii		T	SGCN			BLM SENSITIVE
Virginia's Warbler	Leiothlypis virginiae			SGCN			BLM SENSITIVE
Lucy's Warbler	Leiothlypis luciae			SGCN			BLM WATCH
Black-Throated Gray Warbler	Setophaga nigrescens			SGCN			BLM WATCH

Special Status Animal Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDOW (WCA)	NMDOW SGCN/SERI	USFS	USFS SCC	BLM
Abert's Towhee	Melospiza aberti		T	SGCN	Sensitive Species		
Black-Chinned Sparrow	Spizella atrogularis			SGCN			BLM WATCH
Vesper Sparrow	Poocetes gramineus			SGCN			
Baird's Sparrow	Ammodramus bairdii		T	SGCN	Sensitive Species		BLM SENSITIVE
Arizona Grasshopper Sparrow	Ammodramus savannarum ammodramus		E	SGCN	Sensitive Species		BLM SENSITIVE
Thick-billed Longspur	Rhynchophanes mccownii			SGCN			BLM SENSITIVE
Chestnut-Collared Longspur	Calcarius ornatus			SGCN			BLM SENSITIVE
Cassin's Finch	Haemorhous cassinii			SGCN			BLM WATCH
Evening Grosbeak	Coccothraustes vespertinus			SGCN			
Rio Grande Cutthroat Trout	Oncorhynchus clarkii virginalis			SGCN	Sensitive Species	USFS R3 SCC	
Brown Trout	Salmo trutta			SERI			
Brook Trout	Salvelinus fontinalis			SERI			
Chihuahua Chub	Gila nigrescens	LT	E	SGCN			
Rio Grande Sucker	Catostomus plebeius			SGCN	Sensitive Species		BLM SENSITIVE
Mexican Long-Tongued Bat	Choeronycteris mexicana			SGCN	Sensitive Species		BLM SENSITIVE
Mexican Long-Nosed Bat	Leptonycteris nivalis	LE	E	SGCN			
Lesser Long-Nosed Bat	Leptonycteris verbabuenae	DL	T	SGCN 2025		USFS R3 SCC	BLM SENSITIVE
Cave Myotis	Myotis velifer			SGCN 2025			
Western Yellow Bat	Lasiurus xanthinus		T	SGCN	Sensitive Species		BLM SENSITIVE
Spotted Bat	Euderma maculatum		T	SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
White-Sided Jackrabbit	Lepus callotis gaillardi		T	SGCN			BLM SENSITIVE

Special Status Animal Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDOW (WCA)	NMDOW SGCN/SERI	USFS	USFS SCC	BLM
Northern Pygmy Mouse	Baiomys taylori			SGCN 2025	Sensitive Species		
Jaguar	Panthera onca	LE		SGCN			
Mule Deer	Odocoileus hemionus			SERI			
Pronghorn	Antilocapra americana			SERI			
Desert Bighorn Sheep	Ovis canadensis mexicana			SERI			
Western Box Turtle	Terrapene ornata			SGCN 2025			
Sonoran Mud Turtle	Kinosternon sonoriense			SGCN			
Gila Monster	Heloderma suspectum		E	SGCN			BLM SENSITIVE
Bunch Grass Lizard	Sceloporus slevini		T	SGCN	Sensitive Species		BLM WATCH
Gray-checked Whiptail	Aspidoscelis tessellatus		E	SGCN			BLM SENSITIVE
Yaqui Black-Headed Snake	Tantilla yaquia			SGCN 2025	Sensitive Species		
Northern Mexican Garter Snake	Thamnophis eques megalops	LT	E	SGCN	Sensitive Species		BLM SENSITIVE
Green Rat Snake	Senticolis triaspis		T	SGCN	Sensitive Species		
Rock Rattlesnake	Crotalus lepidus			SGCN			
Banded Rock Rattlesnake	Crotalus lepidus klauberi			SGCN 2025			
Mojave Rattlesnake	Crotalus scutulatus			SGCN 2025			
Desert Massasauga	Sistrurus catenatus edwardsii			SGCN			
Andrenid Bee	Perdita biparticeps			SGCN 2025			
Western Bumble Bee	Bombus occidentalis			SGCN 2025		USFS R3 SCC	
Morrison's Bumble Bee	Bombus morrisoni			SGCN 2025			
Brave Digger Bee	Anthophora vancouver			SGCN 2025			
Southwest Leaf-cutter Bee	Megachile melanderi			SGCN 2025			
Woodlandsnail, Dry Creek	Ashmunella tetrodon animorum			SGCN 2025	Sensitive Species	USFS R3 SCC	

Common Name hyperlink takes you to species account in bison-m.org; Scientific Name hyperlink takes you to information in [NatureServe Explorer](https://natureserve.org); ESA = Endangered Species Act, C = Candidate, LE = Listed Endangered, LT = Listed Threatened, XN = Non-essential Experimental Population, for other ESA codes see this [website](#); WCA = Wildlife Conservation Act, E = Endangered, T = Threatened; SERI = Species of Economic and Recreational Importance; SGCN = Species of Greatest Conservation Need; USFS = U.S. Forest Service, Sensitive Species = A species likely to occur on USFS lands that is of concern for a potential reduction in population viability; SCC = Species of Conservation Concern; BLM = Bureau of Land Management, BLM SENSITIVE = A species that occurs on BLM lands and whose viability is at risk, BLM WATCH = Species that may be added to the sensitive species list in future pending new information regarding species status.

Special Status Plant Species Potentially within 1 Miles of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMAC	NMRPCS	USFS	USFS SCC	BLM
Standley's Whitlow-Grass	Draba standleyi						
	Coryphantha robustispina ssp. uncinata			SS			
Sand Prickly-Pear	Opuntia arenaria		E				BLM SENSITIVE
Night-Blooming Cereus	Peniocereus greggii var. greggii		E	SS			BLM SENSITIVE
Griffith's Saltbush	Atriplex griffithsii			SS			BLM SENSITIVE
Santa Fe Milkvetch	Astragalus feensis			SS			BLM WATCH

NMAC = New Mexico Administrative Code, E = Endangered; NMRPCS = [New Mexico Rare Plant Conservation Strategy](#), SS = NM Rare Plant Conservation Strategy Species; USFS = U.S. Forest Service, Sensitive Species = A species likely to occur on USFS lands that is of concern for a potential reduction in population viability; SCC = Species of Conservation Concern; BLM = Bureau of Land Management, BLM SENSITIVE = A species that occurs on BLM lands and whose viability is at risk, BLM WATCH = Species that may be added to the sensitive species list in future pending new information regarding species status.

Project Recommendations

Your proposed project activities may require a custom review for assessment of potential effects to wildlife. See the "OVERALL STATUS" section above to determine the likelihood that your project will be reviewed further based on its location. A Department biologist will confirm whether any additional conservation measures are needed. You should expect to receive any additional project recommendations within 30 days of your project submission. If the "OVERALL STATUS" section indicates that no further consultation with the Department is required based on its location, then you will only receive additional project feedback from the Department if a biologist deems it necessary.

If bats may be present in your project area and your project entails the following types of activities, the Department recommends following the relevant portions of the [Guidelines for Mitigating Impacts of Development on New Mexico's Bat Communities](#): bridge, building, or culvert demolition; extensive construction, excavation, paving, or trenching; outdoor lighting installation; pesticide use; prescribed burning; riparian restoration; vegetation removal.

Ground-disturbing activities may increase erosion, thus potentially negatively impacting surface waters and wildlife habitats. The movement of topsoil and other sediments may wash away soil nutrients, displace or destroy vegetation, increase sedimentation in waterways, and generally lead to ecosystem degradation. Reducing erosion before, during, and after ground-disturbing activities can reduce these effects and protect wildlife habitats. The Department has the following recommendations regarding erosion control and the selection of wildlife-friendly erosion-control materials:

- Divert water around the project site whenever possible.
- Preserve natural areas and vegetated buffers within and around the project site. Strive to maintain the natural drainage system of the site, including any natural stream channels, wetlands, and floodplains. Design, construct, and maintain the site to protect (or restore) the natural hydrology.
- Following construction, disturbed areas should be re-vegetated using native species that either approximate the pre-disturbance plant community composition or are otherwise appropriate for the site, including from a region that represents potential future climatic conditions at the site. Include as much locally appropriate genetic diversity in plant material sources as possible. Short-term erosion-control seed mixes are available for temporary control of surface erosion during project implementation; native mixes should be used for temporary and permanent erosion control. Native plants and materials should also be used for any landscaping. All seed mixtures should be certified as weed-free and designed to enhance local pollinator habitat, unless there is concern regarding potential for pesticide, especially neonicotinoid, presence. For pollinating insects, including a diversity of flowering plants with different colors and shapes and flowering times that span spring through fall (March-October), high-nutrient or value plants (e.g., goldenrods [*Solidago* spp.], gumweed [*Grindelia* spp.], or sunflowers [*Helianthus* spp.]), perennials, native bunch grasses and thistles, some plants with pithy and woody stems, some bare ground, and rarer plants may be beneficial. Ideally, at least three different species should be flowering at all times between March and October. Consult pollinator-friendly plant species lists provided by the [Xerces Society for Invertebrate Conservation](#) or other appropriate resources. No-till drills may be more effective than broadcast seeding for establishing flowering plants. New Mexico grass ecotypes for commercial seeding are available through the Los Lunas Plant Materials Center and New Mexico State University. Seeding guidelines are available from the [Natural Resources Conservation Service](#).
- If erosion control blankets are used post-construction, burying the blanket edges, and using blankets without fused mesh corners (e.g., use woven mesh) can reduce the chances of unintentional wildlife entanglement. Avoid the use of plastic netting or mesh. Regularly check the erosion control blankets after applying them to identify and release any wildlife that does become entangled.
- Efforts should be made during construction to minimize impacts on vegetative communities. Existing roads and rights-of-way should be used for all transportation. Off-road driving should be avoided. Staging areas should be located in previously disturbed sites, where possible, and kept as small as possible.

Further information regarding wildlife-friendly erosion control options is provided by the [U.S. Fish and Wildlife Service](#).

All migratory birds are protected against direct take under the federal [Migratory Bird Treaty Act](#) (16 U.S.C. Sections 703-712), and hawks, falcons, vultures, owls, songbirds, and other insect-eating birds are protected under New Mexico State Statutes (17-2-13 and 17-2-14 NMSA), unless permitted by the applicable regulatory agency. To minimize the likelihood of adverse impacts to migratory birds, nests, eggs, or nestlings, the Department recommends that ground disturbance and vegetation removal activities be conducted outside of the primary migratory bird breeding season of April 15-September 1. Breeding season may begin earlier for raptors or when working in low-elevation habitats such as deserts. If ground-disturbing and clearing activities must be conducted during the breeding season, the area should be surveyed for active nest sites (with birds or eggs present in the nesting territory) and avoid disturbing active nests until young have fledged. For active nests, establish adequate buffer zones to minimize disturbance to nesting birds. Buffer distances should be at least 100 feet from songbird and raven nests; 0.25 miles from most raptor nests; and 0.5 miles for ferruginous hawk (*Buteo regalis*), golden eagle (*Aquila chrysaetos canadensis*), peregrine falcon (*Falco peregrinus*), and prairie falcon (*Falco mexicanus*) nests. Active nest sites in trees or shrubs that must be removed should be mitigated by qualified, permitted biologists or wildlife rehabilitators. Department biologists are available to consult on nest site mitigation and can facilitate contact with qualified personnel. Removal of active nests of state-protected species may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information. The Wild Take Unit at the USFWS, which issues take and relocation permits for migratory birds, can be reached at MBPermits_take@fws.gov.

The list of [New Mexico SGCN](#) (see link, page 14, table 5) and the federal list of [Birds of Conservation Concern](#) should be reviewed to fully evaluate potential effects to migratory birds from your proposed project. Federal agencies are also required under Executive Order 13186 to implement standards and practices that lessen the amount of unintentional take attributable to agency actions. These conservation measures are strongly recommended to ensure persistence of migratory bird species whose populations are small and/or declining within New Mexico.

Please also consider impacts to pollinating insects from the removal of flowering plants and ground-disturbing activities. If possible, avoid removing flowering plants when bees and other insect pollinators are most actively foraging (March-October), including early flowering native tree and shrub species. Also avoid any observed bumble bee (*Bombus* spp.) nest sites using a buffer of at least 30 feet. Implement measures to prevent the spread of noxious weeds and invasive plants, including removing dirt, debris, and plant parts from equipment before bringing it on site.

Open trenches excavated for underground water or oil and gas pipelines, powerlines, or fiber optic communication lines can unintentionally entrap and cause the unnecessary mortality of amphibians, reptiles, and small mammals, can cause injury to large mammals, and can damage underground bee nests. Trapped animals can die from exposure, starvation, crushing from pipe-laying, entombment from trenching backfilling, drowning, and predation. This unnecessary wildlife mortality can be avoided by implementing conservation measures including: concurrent trenching, pipe-laying, and backfilling operations to minimize the amount of trench left open overnight or longer; construction escape ramps; and employing biological monitors to remove trapped animals. Periods of highest activity for amphibians and reptiles vulnerable to entrapment include summer months and wet weather, and they can be active both day and night. Small mammals subject to entrapment are active year-round and generally most active at night. Conducting pre-trenching wildlife surveys, especially for bumble bee (*Bombus* spp.) nests, which may occur in abandoned rodent holes and other cavities and be present year-round, and active burrows, can aid in avoiding nest and burrow destruction. The [Bumble Bee Nest Quest](#) project provides some information on what to look for when searching for bumble bee nests.

Implementing the general trenching conservation measures outlined in the Department's [Trenching Project Guidelines](#) will help minimize unnecessary mortality of wildlife. Best management practices should include, at minimum, the following mitigation measures.

- Whenever possible, locate trenching activities within previously disturbed areas, such as existing road or pipeline right-of-ways. To the extent possible, avoid trenching in undisturbed habitat.
- Trench during the cooler months (October – March).
- Utilize concurrent trenching, pipe- or cable-laying, and backfilling. Keep trenching, pipe- or cable-laying, and

backfilling crews as close together as possible to minimize the amount of open trench at any given time. When trenching activities are temporarily halted (e.g., overnight, weekends, holidays, weather shutdowns), protect wildlife from accessing any open trench between digging and backfilling operations by using one or more of the methods described below.

- Avoid leaving trenches open overnight. When trenches cannot be backfilled immediately, escape ramps should be constructed at least every 90 meters and preferably 30 meters. Escape ramps can be constructed parallel or perpendicular to the existing trench. The escape ramp slope should be less than 45 degrees (1:1). If pipe or cable has been installed but backfilling has not occurred, escape ramps may need to be constructed on both sides of the trench, since, unless the pipe is elevated enough to allow animals to move underneath it, the pipe or cable may block access of amphibians, reptiles, and small mammals to the ramps if only constructed on one side.
- Trenches that have been left open overnight should be inspected the following day by a qualified, permitted biological monitor and trapped animals removed as soon as possible, especially where state- or federally listed threatened or endangered amphibians, reptiles, or small mammals occur. Untrained personnel should not attempt to remove trapped wildlife because of the potential to injure animals and the possibility of injury from venomous snakes. Required tools for removal will include snake tongs for removing snakes and a dip net for capturing and removing amphibians and small mammals. Many animals trapped in a trench will burrow under loose soil. To the extent possible, the biological monitor should disturb loose soil in the trench to uncover and remove trapped animals. Animals should be relocated at least 50 meters away from the open trench in undisturbed habitat. Capture and relocation of all state-protected animals, and even of unprotected animals using a dip net, may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information.
- When pipe has been laid in the trench, end caps should be placed on the open end(s) of the pipe to preclude animals from entering. Pipe staged outside the trench should be capped until placed in the trench or checked for wildlife before being placed into the trench.
- Most wildlife can be protected by constructing silt fence completely around the open trench. Silt fence should be supported from sagging by t-posts, rebar, or stakes and buried at the base to preclude animals from moving below the fence. If construction of a silt fence is a required best management practice for erosion control, then, to preclude the need for a biological monitor, escape ramps, and concurrent backfilling, the guidelines for silt fence installation and maintenance in the [Trenching Project Guidelines](#) should be followed.

The highly invasive, noxious weed African rue (*Peganum harmala*) has been documented near the proposed project area. African rue thrives on disturbed sites and along road sides. It is extremely drought-tolerant and will undergo rapid vegetative growth when soil moisture is available. African rue is extremely toxic to horses, sheep, cattle, and humans, containing at least four types of poisonous alkaloids. In addition, most parts of the plant contain allelopathic chemicals that will reduce the growth of surrounding native plants. To help control this species' spread, the Department recommends that any vehicles and equipment arriving on the project site be thoroughly cleaned of all visible dirt and mud to help contain and control the potential spread of weed seeds. The operator should also initiate a weed management program that includes a commitment to aggressive control of any African rue on the project site. For more information on potential control of African rue, see this [field guide](#).

Burrowing owl (*Athene cunicularia*) may occur within your project area. Burrowing owls are protected from take by the Migratory Bird Treaty Act and under New Mexico state statute. Before any ground disturbing activities occur, the Department recommends that a preliminary burrowing owl survey be conducted by a qualified biologist using the Department's [Burrowing Owl Survey Protocol](#). Surveys including audio calls may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information. Should burrowing owls be documented in the project area, please contact the Department or USFWS for further recommendations and information on any permitting requirements regarding relocation or avoidance of impacts. The Wild Take Unit at the USFWS, which issues take and relocation permits for migratory birds, can be reached at MBPermits_take@fws.gov.

The proposed project occurs near an important bat area. This area may contain important bat roosting resources, such as caves or mines, that potentially could be affected by certain project activities. Follow the recommendations in the Department's [Guidelines for Mitigating Impacts of Development on New Mexico's Bat Communities](#) to minimize disturbance to roosting bats. These guidelines include:

- Avoid activities that create continuous noise greater than or equal to 70 decibels within 1.25 miles of known hibernacula or roosts.
- Avoid use of open-flame torches or heavy smoke-producing equipment, especially from May through October, within 0.25 miles of a known roost.
- If the use of permanent outdoor lights cannot be avoided, down-shield all outdoor lighting and use red light when possible; avoid white, blue-white, or ultraviolet-emitting lights.
- For any surface-disturbing activities that will impact more than 10 acres, the project footprint should be at least 1.5 miles away from occupied roosts or hibernacula. Tree-clearing activities should include a minimum 0.25 miles buffer from known or occupied roosts and prescribed fires should not take place within 1.25 miles of hibernacula during the winter.
- If pesticides must be used, use appropriate buffers around aquatic and native riparian habitats and caves, cliff faces with deep crevices, mixed-age ponderosa pine (*Pinus ponderosa*) stands, mature pinyon (*Pinus edulis*)-juniper (*Juniperus* spp.) woodlands, and other relevant habitat features for bats potentially found in the project area.
- If caves or mines are encountered within the project area and must be entered, ensure that clothing, footwear, and gear is decontaminated prior to and after cave or mine entry.

Your project area intersects an Important Plant Area (IPA) that contains one or more species of plants listed as threatened or endangered by the New Mexico Energy, Minerals and Natural Resources Department (EMNRD) under New Mexico Statutes Annotated (NMSA) 75-6-1 or by the USFWS under the federal ESA. Although IPAs have no legal designation, they have been identified as areas that support either a high diversity of sensitive plant species or contain the last remaining locations of New Mexico's most endangered plants. The Department recommends that you consult with EMNRD's [Endangered Plant Program Coordinator](#) regarding any state-listed plants and the USFWS's [Information for Planning and Consultation \(IPAC\)](#) system for any federally-listed plants and reaching out to the appropriate federal species lead(s) with the [New Mexico Ecological Services Office of USFWS](#). The Department does not have any authority to designate or advise on state- or federally-listed plants.

The proposed project occurs within or near a riparian area. Because riparian areas are important wildlife habitats, the project footprint should avoid removing any riparian vegetation or creating ground disturbance either directly within or affecting the riparian area, unless the project is intended to restore riparian habitat through non-native plant removal and replanting with native species. If your project involves removal of non-native riparian trees or planting of native riparian vegetation, please refer to the Department's habitat handbook guideline for [Restoration and Management of Native and Non-native Trees in Southwestern Riparian Ecosystems](#). In addition to these guidelines, consider planting a diversity of flowering native plants, including shrubs, and plants that provide bee nesting sites including pithy or hollow-stemmed species. The [New Mexico Riparian Habitat Map \(NMRipMap\)](#) may also provide useful information on local riparian habitat composition and structure.

Your proposed project occurs within an area where springs or other important natural water features occur. This may result in the presence of a high use area for wildlife relative to the surrounding landscape. To ensure continued function of these important wildlife habitats, your project should consider measures to avoid the following.

- Altering surface or groundwater flow or hydrology,
- Disturbance to soil that modifies geomorphic properties or facilitates invasion of non-native vegetation.
- Affecting local surface or groundwater quality.
- Creating disturbance to wildlife utilizing these water features. Disturbance to wildlife can be reduced through practices including clustering infrastructure and activity wherever possible, avoiding large visual obstructions around water features, and limiting nighttime project operations or activities.

Department biologists are available for site-specific consultation regarding measures to assist with management and conservation of these habitat resources.

The current project area appears to contain one or more wetland types as classified by the New Mexico Environment Department's [Wetland Map](#). Information on wetlands in your project area can also be viewed on the ERT's [Create Project/Map](#) page. This [key](#) can assist in interpreting Landscape Position, landform, water flow path, and waterbody type (LLWW) codes in the ERT's wetland data. Wetlands provide important habitat for numerous species of wildlife and pollinators and provide ecosystem services, such as water filtration and storage, to downstream users. The Department recommends avoiding disturbance of wetlands whenever possible, avoiding actions or infrastructure installment that may disrupt natural wetland hydrological processes, and reseeding or replanting areas where disturbance cannot be avoided with native wetland plant species appropriate to the local wetland type. For a list of native seed providers, please see the Department's habitat handbook guideline for [Restoration and Management of Native and Non-native Trees in Southwestern Riparian Ecosystems](#). For projects involving filling wetlands under federal jurisdiction, please contact the [Army Corps of Engineers](#) for more information on permits required under the Clean Water Act.

Disclaimers regarding recommendations:

- The Department provides technical guidance to support the persistence of all protected species of native fish and wildlife, including game and nongame wildlife species. Species listed within this report include those that have been documented to occur within the project area, and others that may not have been documented but are projected to occur within the project vicinity.
- Recommendations are provided by the Department under the authority of § 17-1-5.1 New Mexico Statutes Annotated 1978, to provide "communication and consultation with federal and other state agencies, local governments and communities, private organizations and affected interests responsible for habitat, wilderness, recreation, water quality and environmental protection to ensure comprehensive conservation services for hunters, anglers and nonconsumptive wildlife users".
- The Department has no authority for management of plants or Important Plant Areas. The [New Mexico Endangered Plant Program](#), under the Energy, Minerals, and Natural Resources Department's Forestry Division, identifies and develops conservation measures necessary to ensure the survival of plant species within New Mexico. Plant status information is provided within this report as a courtesy to users. Recommendations provided within the ERT may not be sufficient to preclude impacts to rare or sensitive plants, unless conservation measures are identified in coordination with the Endangered Plant Program.
- Additional coordination and/or consultation may also be necessary under the federal ESA or National Environmental Policy Act (NEPA). Further site-specific mitigation recommendations may be proposed during ESA consultation and/or NEPA analyses or through coordination with affected federal agencies.
- Unless a project is marked as confidential in the title or description by the project proponent and if a ERT-generated report is the only response that the project proponent receives from the Department, then the report will be made publicly accessible via the [Public Comment Letters](#) page on the ERT website.