



PROJECT INFORMATION

Project Title: 2026 Kermit Mid-Year 50' ROW Vegetation Maintenance Project (Lea County 2)
Project Type: ENERGY DEVELOPMENT, OIL AND GAS TRANSMISSION (PIPELINE), OIL AND GAS PIPELINES, MAINTENANCE OR EXISTING AREAS
Latitude/Longitude (DMS): 32.610935 / -103.293148
County(s): LEA
Project Description: Northern Natural Gas (Northern) owns and operates a natural gas transmission pipeline system in the States of Texas and New Mexico. Northern is proposing to conduct routine vegetation maintenance clearing activities along approximately 93 miles of Northern's permanent right-of-way in Gaines, Pecos, Reeves, Ward, and Winkler counties, Texas and Lea County, New Mexico. In upland areas, Northern will mow, brush, and clear trees over the width of the 50-foot-wide permanent right-of-way. Trees and shrubs will be cut at ground level; spot treated with herbicide; stumps will be left in place and ground disturbing activities will not be necessary. To minimize impacts, mowing and brushing in wetland areas and at stream crossings will be restricted to a 10-foot-wide strip centered on the pipeline. Tree clearing in wetlands will be restricted to a 30-foot-wide strip centered on the pipeline. Northern will clear trees in forested wetlands by hand, and stumps will be left in place. No streams or open water wetlands will be crossed by clearing equipment. A vegetative buffer approximately 25 feet wide will be left perpendicular to waterbodies as measured from the waterbody's mean high-water mark, to permanently revegetate with native plant species across the entire construction right-of-way. No disturbance within the bed or banks of waterbodies, including equipment travel, will occur as part of the clearing activities. The project is regulated by the Federal Energy Regulatory Commission (FERC) under Section 2.55a of the Natural Gas Act.

REQUESTOR INFORMATION

Project Organization:
Contact Name: Jeremy Munz
Email Address: jeremy.munz@merjent.com
Organization: Merjent, Inc.
Address: 1 Main Street SE, Suite 300, Minneapolis MN 55414
Phone: 2547210495


OVERALL STATUS

The information contained within this report comprises the recommendations of the New Mexico Department of Wildlife (Department) for management and mitigation of proposed project impacts to wildlife and habitat resources; see the Project Recommendations section below for further details. No further consultation with the Department is required based on the project's location and, with implementation of mitigation measures described in the Project Recommendations section below, no adverse effects to wildlife or important habitats are anticipated. However, a Department biologist may be in touch within 30 days if they determine that further review is required.

About this report:

- This environmental review is based on the project description and location that was entered. The report must be updated if the project type, area, or operational components are modified.
- This is a preliminary environmental screening assessment and report. It is not a substitute for the potential wildlife knowledge gained by having a biologist conduct a field survey of the project area. Federal status and plant data are provided as a courtesy to users. The review is also not intended to replace consultation required under the federal Endangered Species Act (ESA), including impact analyses for federal resources from the U.S. Fish and Wildlife Service (USFWS) using their [Information for Planning and Consultation tool](#).
- This report contains information on wildlife species protected under the ESA and the [Wildlife Conservation Act \(WCA\)](#), [Species of Greatest Conservation Need \(SGCN\)](#) (page 18, table 5), and Species of Economic and Recreational Importance (SERI). Species listed under the ESA are protected from take at the federal level and under the WCA are protected from take at the state level. SGCN are identified in the [State Wildlife Action Plan \(SWAP\) for New Mexico](#); all of these species are considered to be of conservation concern but not all of them are protected from take at the state or federal level. The harvest of all SERI is regulated at the state level. The Department has no authority to designate critical habitat for species listed under the WCA; only the USFWS can designate critical habitat for species listed under the ESA.
- The New Mexico Environmental Review Tool (ERT) utilizes species observation locations and species habitat suitability models, both of which are subject to ongoing change and refinement. Inclusion or omission of a species within a report cannot guarantee species presence or absence within your project area. To determine occurrence of any species listed in this report, or other wildlife that may be present within your project area, onsite surveys conducted by a qualified biologist during appropriate, species-specific survey timelines may be necessary. Any surveys including handling or capturing wildlife may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information.
- The Department encourages use of the ERT to modify proposed projects for avoidance, minimization, or mitigation of wildlife impacts. However, the ERT is not intended to be used in a repeatedly iterative fashion to adjust project attributes until a previously determined recommendation is generated. The ERT serves to assess impacts once project details are developed. The [New Mexico Crucial Habitat Assessment Tool](#), the data layers from which are included in the ERT, is the appropriate system for advising early-stage project planning and design to avoid areas of anticipated wildlife concerns and associated regulatory requirements.

Kermit Mid-Year 50' ROW Vegetation Maintenance Project (Lea Coui



NHNM, USGS, USFS, US Census Bureau, NMDGF
Esri, NASA, NGA, USGS
Texas Parks & Wildlife, CONANP, Esri, TomTom, Garmin, SafeGraph, GeoTechnologies, Inc, METI/NASA, USGS, EPA, NPS, USDA, USFWS

Special Status Animal Species Potentially within 650 Meters of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMDOW (WCA)	NMDOW SGCN/SERI	USFS	USFS SCC	BLM
Barking Frog	Craugastor augusti			SGCN			
Plains Leopard Frog	Lithobates blairi			SGCN			BLM WATCH
Clark's Grebe	Aechmophorus clarkii			SGCN			
American Bittern	Botaurus lentiginosus			SGCN			BLM WATCH
Aplomado Falcon	Falco femoralis		E	SGCN			
Peregrine Falcon	Falco peregrinus		T	SGCN			BLM WATCH
Lesser Prairie-Chicken	Tympnanuchus pallidicinctus	LE		SGCN	Sensitive Species		BLM SENSITIVE
Elf Owl	Micrathene whitneyi			SGCN			BLM WATCH
Western Burrowing Owl	Athene cunicularia hypugaea			SGCN	Sensitive Species	USFS R3 SCC	BLM SENSITIVE
Common Nighthawk	Chordeiles minor			SGCN			
Lewis's Woodpecker	Melanerpes lewis			SGCN		USFS R3 SCC	BLM WATCH
Pygmy Nuthatch	Sitta pygmaea			SGCN			
Mountain Bluebird	Sialia currucoides			SGCN			
Sprague's Pipit	Anthus spragueii			SGCN			BLM SENSITIVE
Loggerhead Shrike	Lanius ludovicianus			SGCN		USFS R3 SCC	BLM WATCH
Vesper Sparrow	Poocetes gramineus			SGCN			
Thick-billed Longspur	Rhynchophanes mccownii			SGCN			BLM SENSITIVE
Chestnut-Collared Longspur	Calcarius ornatus			SGCN			BLM SENSITIVE
Black-Tailed Prairie Dog	Cynomys ludovicianus			SGCN	Sensitive Species		BLM SENSITIVE
Mule Deer	Odocoileus hemionus			SERI			
Pronghorn	Antilocapra americana			SERI			
Dunes Sagebrush Lizard	Sceloporus arenicolus	LE	E	SGCN			
Desert Massasauga	Sistrurus catenatus edwardsii			SGCN			

Common Name hyperlink takes you to species account in [bison-m.org](https://www.bison-m.org/); Scientific Name hyperlink takes you to information in [NatureServe Explorer](#); ESA = Endangered Species

Act, C = Candidate, LE = Listed Endangered, LT = Listed Threatened, XN = Non-essential Experimental Population, for other ESA codes see this [website](#); WCA = Wildlife Conservation Act, E = Endangered, T = Threatened; SERI = Species of Economic and Recreational Importance; SGCN = Species of Greatest Conservation Need; USFS = U.S. Forest Service, Sensitive Species = A species likely to occur on USFS lands that is of concern for a potential reduction in population viability; SCC = Species of Conservation Concern; BLM = Bureau of Land Management, BLM SENSITIVE = A species that occurs on BLM lands and whose viability is at risk, BLM WATCH = Species that may be added to the sensitive species list in future pending new information regarding species status.

Special Status Plant Species Potentially within 650 Meters of Project Area

Common Name	Scientific Name	USFWS (ESA)	NMAC	NMRPCS	USFS	USFS SCC	BLM
Tharp's Blue Star	Amsonia tharpii		E				BLM SENSITIVE

NMAC = New Mexico Administrative Code, E = Endangered; NMRPCS = [New Mexico Rare Plant Conservation Strategy](#), SS = NM Rare Plant Conservation Strategy Species; USFS = U.S. Forest Service, Sensitive Species = A species likely to occur on USFS lands that is of concern for a potential reduction in population viability; SCC = Species of Conservation Concern; BLM = Bureau of Land Management, BLM SENSITIVE = A species that occurs on BLM lands and whose viability is at risk, BLM WATCH = Species that may be added to the sensitive species list in future pending new information regarding species status.

Project Recommendations

Open trenches excavated for underground water or oil and gas pipelines, powerlines, or fiber optic communication lines can unintentionally entrap and cause the unnecessary mortality of amphibians, reptiles, and small mammals, can cause injury to large mammals, and can damage underground bee nests. Trapped animals can die from exposure, starvation, crushing from pipe-laying, entombment from trenching backfilling, drowning, and predation. This unnecessary wildlife mortality can be avoided by implementing conservation measures including: concurrent trenching, pipe-laying, and backfilling operations to minimize the amount of trench left open overnight or longer; construction escape ramps; and employing biological monitors to remove trapped animals. Periods of highest activity for amphibians and reptiles vulnerable to entrapment include summer months and wet weather, and they can be active both day and night. Small mammals subject to entrapment are active year-round and generally most active at night. Conducting pre-trenching wildlife surveys, especially for bumble bee (*Bombus* spp.) nests, which may occur in abandoned rodent holes and other cavities and be present yearround, and active burrows, can aid in avoiding nest and burrow destruction. The [Bumble Bee Nest Quest](#) project provides some information on what to look for when searching for bumble bee nests.

Implementing the general trenching conservation measures outlined in the Department's [Trenching Project Guidelines](#) will help minimize unnecessary mortality of wildlife. Best management practices should include, at minimum, the following mitigation measures.

- Whenever possible, locate trenching activities within previously disturbed areas, such as existing road or pipeline right-of-ways. To the extent possible, avoid trenching in undisturbed habitat.
- Trench during the cooler months (October – March).
- Utilize concurrent trenching, pipe- or cable-laying, and backfilling. Keep trenching, pipe- or cable-laying, and backfilling crews as close together as possible to minimize the amount of open trench at any given time. When trenching activities are temporarily halted (e.g., overnight, weekends, holidays, weather shutdowns), protect wildlife from accessing any open trench between digging and backfilling operations by using one or more of the methods described below.
- Avoid leaving trenches open overnight. When trenches cannot be backfilled immediately, escape ramps should be constructed at least every 90 meters and preferably 30 meters. Escape ramps can be constructed parallel or perpendicular to the existing trench. The escape ramp slope should be less than 45 degrees (1:1). If pipe or cable has been installed but backfilling has not occurred, escape ramps may need to be constructed on both sides of the trench, since, unless the pipe is elevated enough to allow animals to move underneath it, the pipe or cable may block access of amphibians, reptiles, and small mammals to the ramps if only constructed on one side.
- Trenches that have been left open overnight should be inspected the following day by a qualified, permitted biological monitor and trapped animals removed as soon as possible, especially where state- or federally listed threatened or endangered amphibians, reptiles, or small mammals occur. Untrained personnel should not attempt to remove trapped wildlife because of the potential to injure animals and the possibility of injury from venomous snakes. Required tools for removal will include snake tongs for removing snakes and a dip net for capturing and removing amphibians and small mammals. Many animals trapped in a trench will burrow under loose soil. To the extent possible, the biological monitor should disturb loose soil in the trench to uncover and remove trapped animals. Animals should be relocated at least 50 meters away from the open trench in undisturbed habitat. Capture and relocation of all state-protected animals, and even of unprotected animals using a dip net, may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dqf.permits@dqf.nm.gov for more information.
- When pipe has been laid in the trench, end caps should be placed on the open end(s) of the pipe to preclude animals from entering. Pipe staged outside the trench should be capped until placed in the trench or checked for wildlife before being placed into the trench.
- Most wildlife can be protected by constructing silt fence completely around the open trench. Silt fence should

be supported from sagging by t-posts, rebar, or stakes and buried at the base to preclude animals from moving below the fence. If construction of a silt fence is a required best management practice for erosion control, then, to preclude the need for a biological monitor, escape ramps, and concurrent backfilling, the guidelines for silt fence installation and maintenance in the [Trenching Project Guidelines](#) should be followed.

Burrowing owl (*Athene cunicularia*) may occur within your project area. Burrowing owls are protected from take by the Migratory Bird Treaty Act and under New Mexico state statute. Before any ground disturbing activities occur, the Department recommends that a preliminary burrowing owl survey be conducted by a qualified biologist using the Department's [Burrowing Owl Survey Protocol](#). Surveys including audio calls may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information. Should burrowing owls be documented in the project area, please contact the Department or USFWS for further recommendations and information on any permitting requirements regarding relocation or avoidance of impacts. The Wild Take Unit at the USFWS, which issues take and relocation permits for migratory birds, can be reached at MBPermits_take@fws.gov.

Your proposed project intersects dunes sagebrush lizard (*Sceloporus arenicolus*) (DSL) habitat. The DSL was listed as Endangered under the ESA by the USFWS and is listed as Endangered by the State of New Mexico under the New Mexico WCA. The Center for Environmental Health Monitoring and Management ([CEHMM](#)) entered into an agreement with USFWS to work in cooperation with private landowners and industry to support conservation for the DSL while continuing to work on the land. If your project has potential to lead to take (including harassment, harm, pursuit, hunting, shooting, wounding, killing, trapping, capturing, collecting, or attempting to engage in these activities) of a DSL and you entered into the Candidate Conservation Agreement (CCA) or CCA with Assurances (CCAA) for the DSL with CEHMM, or you wish to enter either of these agreements now, the Department recommends you contact CEHMM (575-885-3700). The Department recommends a qualified, permitted biologist conduct surveys for suitable DSL habitat in your project area. If you need guidance on what constitutes suitable habitat, CEHMM may be able to assist. Any capture of DSL would require a scientific collection permit from the Department; contact the Department's Wildlife Permits manager at dgf.permits@dgf.nm.gov for more information. If suitable DSL habitat is detected in your project area, including detection of any individual DSL, the Department recommends avoiding local dune blowout habitats, buffered by 30 m, as much as is feasible.

Our preliminary assessment indicates your project occurs in Lesser Prairie-chicken Crucial Habitat Category 1 (Focal Area).

The Lesser Prairie-chicken (*Tympanuchus pallidicinctus*) (LPC) was designated as a SGCN in New Mexico and previously the southern Distinct Population Segment, including populations in New Mexico and Texas, was federally listed as Endangered. The LPC Interstate Working Group has developed the Southern Great Plains Crucial Habitat Assessment Tool ([SGP-CHAT](#)) to designate and prioritize areas for LPC conservation activities and development. Our preliminary assessment indicates your project occurs in LPC habitat. For more information on the SGP-CHAT, contact Chanda Pettie, Industry LPC Program Contact with the Western Association of Fish and Wildlife Agencies, at (719) 207-5053 or chanda.pettie@wafwa.org.

If your project has potential to lead to take (including harassment, harm, pursuit, hunting, shooting, wounding, killing, trapping, capturing, collecting, or attempting to engage in these activities) of a LPC and you entered into the Candidate Conservation Agreement (CCA) or CCA with Assurances (CCAA) for the LPC with [CEHMM](#), the Department recommends you contact CEHMM (575-885-3700). If your project may lead to take of a LPC and you did not enter the CCA/A with CEHMM, the Department recommends a qualified, permitted biologist conduct surveys for the LPC according to these [Lesser Prairie-chicken Survey Protocols](#) and mitigating the effects of project activities by buffering (>1.25 miles of known leks) and avoiding construction or off-road activities during the breeding season (March 1-July 15). Low-altitude aerial surveys or surveys based on flush counts may require a scientific collection permit; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information.

Since your project occurs within Lesser Prairie-chicken habitat, the Department recommends the following:

- As much as possible, avoid development within focal areas, connectivity zones, or within 1.25 miles of known Lesser Prairie-chicken (LPC) leks that have been active at least once within the previous five years, as well as project sites dominated by tracts of native grass and shrublands (see Southern Great plains Crucial Habitat Assessment Tool [[SGP-CHAT](#)] and Department staff for more information).
- As much as possible, focus development on lands already altered or cultivated (e.g., in areas with row-crop agriculture or developed oilfields) and away from areas of undeveloped native grass or shrublands. Select fragmented or degraded habitats over relatively intact areas, and select sites with lower LPC habitat potential over sites with greater habitat potential based on appropriate indicators, including Natural Resources Conservation Service Ecological Site Descriptions, specifically loamy, loamy sand, sandhills, sandy, sandy plains, shallow sandy, and very shallow.
- Where avoidance is not possible, use common rights of way for multiple types of infrastructure in locating new roads, fences, power lines, well pads, flowlines, compressors, and other associated infrastructure.
- Reduce impacts by using directional drilling and clustering (i.e., multiple wells per pad, common tank batteries) where feasible or locating facilities to reduce habitat loss and fragmentation.
- During the LPC lekking, nesting, and brooding season (March 1–July 15) within 1.25 miles of leks recorded as active within the previous five years, avoid the following as much as feasible: 1) non-emergency operations and construction and maintenance activities, where humans are present; 2) conducting seismic and similar activities that require off-road travel in rangelands or areas with Conservation Reserve Program or other native, planted grass cover. If these activities cannot be avoided during these times in these areas, then avoid conducting them between 3:00 and 9:00 AM. Allowed emergency operations include those that address human or environmental safety concerns or relate directly to operational continuity such as: responses to spills or well-control incidents (i.e., incidents related to down-hole pressures during drilling, completion, recompletion, or production operations); equipment or r-line repairs; unloading one or more tanks to prevent them from overflowing; patrolling to locate known breaks in electrical service; and activities related to security (e.g., preventing theft and vandalism), making a well productive again, or unplanned construction and maintenance that cannot be delayed.
- Where avoidance of areas within 1.25 miles of a LPC lek recorded as active within the previous five years is not possible, institute noise abatement year-round for new facilities and ensure that noise does not exceed 75 dB when measured at any point greater than 30 feet from the facility boundary.
- LPC lek surveys, conducted by a qualified, permitted biologist, shall be required in areas located within SGP-CHAT categories 1-3 prior to conducting any breeding season seismic activities.

The proposed project occurs near a playa. Playas are shallow, ephemeral wetlands that fill in response to precipitation. Some playas remain wet for just a few weeks or months, while others remain wet for years. Playas are often highly productive habitats that attract abundant wildlife and are vital to continentally important populations of waterfowl, shorebirds, waterbirds, and many other migratory and resident birds.

- To ensure continued function of these important wildlife habitats, the project footprint should completely avoid the playa feature during both wet *and* dry periods. Some playas may remain dry for multiple years. Construction techniques should not disturb the natural playa soils or hydrology, such as by farming, trenching, pitting, or draining.
- Projects occurring in upland areas near a playa should maintain a minimum 40-meter wide buffer around the entire playa. A buffer of 40 meters protects the playa from excess sedimentation, which is a major source of playa degradation. The buffer should consist of native grass species, preferably native shortgrass prairie species such as buffalo grass (*Bouteloua dactyloides*) or blue grama (*Bouteloua gracilis*).
- Because playas are bird concentration areas, tall structures should be located as far away from the playa as possible to prevent avian collisions. If location near a playa is deemed necessary, the Department requests the opportunity for additional consultation.
- Design considerations should also include clustering project activity and development within the project footprint wherever possible and avoiding disturbances that lead to increases in noise, lighting, perturbed soil and non-native vegetation, or other activity.

Prairie dog colonies may occur within the vicinity of your project area. Both black-tailed prairie dogs (*Cynomys ludovicianus*) and Gunnison's prairie dogs (*Cynomys gunnisoni*) are designated as New Mexico SGCN, and their colonies provide important habitat for other grassland wildlife. Wherever possible, occupied prairie dog colonies should be left undisturbed, and all project activities should be directed off the colony. Any burrows that are located on the project site should be surveyed by a qualified biologist to determine whether burrows are active or inactive and whether burrowing owls may be utilizing the site. Colonies within the range of the black-tailed prairie dog can be surveyed by a qualified biologist diurnally, year-round using binoculars. Colonies within the range of the Gunnison's prairie dog can be surveyed by a qualified biologist diurnally, using binoculars during the warmer months from April through October and by searching for fairly fresh scat and lack of cobwebs or debris at the mouths of burrows during the cold months (November through March). If ground-disturbing activities cannot be relocated off the prairie dog colony, or if project activities involve control of prairie dogs, the Department recommends live-trapping and relocation of prairie dogs. A scientific collection permit may be required; contact the Department's Wildlife Permits Manager at dgf.permits@dgf.nm.gov for more information. The Department can provide recommendations regarding suitability of potential translocation areas and procedures. If a project will only impact 10 or fewer burrows and there is a large, active colony adjacent to the site the continued existence of which will not cause future conflicts, the Department suggests use of reverse dispersal translocation methods as outlined in [Creating Prairie Dog Management Plans Part three: Appendices and Attachments](#) (see Attachment 1). Methods include setting up a wire door over active burrows followed by monitoring and closure of the few burrows in the project disturbance area after prairie dog evacuation and barrier installation to prevent recolonization of closed areas. Removal activities should be performed after the spring breeding and birthing seasons and prior to winter hibernation (e.g., mid-June to mid-November). Prairie dogs in southern New Mexico may remain active in the winter, extending the potential removal period beyond mid-November. Removal activities should also begin roughly one month before construction or other disturbance occurs as it can take between one week and one month for the animals to disperse.

The current project area appears to contain one or more wetland types as classified by the New Mexico Environment Department's [Wetland Map](#). Information on wetlands in your project area can also be viewed on the ERT's [Create Project/Map](#) page. This [key](#) can assist in interpreting Landscape Position, landform, water flow path, and waterbody type (LLWW) codes in the ERT's wetland data. Wetlands provide important habitat for numerous species of wildlife and pollinators and provide ecosystem services, such as water filtration and storage, to downstream users. The Department recommends avoiding disturbance of wetlands whenever possible, avoiding actions or infrastructure installment that may disrupt natural wetland hydrological processes, and reseeding or replanting areas where disturbance cannot be avoided with native wetland plant species appropriate to the local wetland type. For a list of native seed providers, please see the Department's habitat handbook guideline for [Restoration and Management of Native and Non-native Trees in Southwestern Riparian Ecosystems](#). For projects involving filling wetlands under federal jurisdiction, please contact the [Army Corps of Engineers](#) for more information on permits required under the Clean Water Act.

Disclaimers regarding recommendations:

- The Department provides technical guidance to support the persistence of all protected species of native fish and wildlife, including game and nongame wildlife species. Species listed within this report include those that have been documented to occur within the project area, and others that may not have been documented but are projected to occur within the project vicinity.
- Recommendations are provided by the Department under the authority of § 17-1-5.1 New Mexico Statutes Annotated 1978, to provide "communication and consultation with federal and other state agencies, local governments and communities, private organizations and affected interests responsible for habitat, wilderness, recreation, water quality and environmental protection to ensure comprehensive conservation services for hunters, anglers and nonconsumptive wildlife users".
- The Department has no authority for management of plants or Important Plant Areas. The [New Mexico Endangered Plant Program](#), under the Energy, Minerals, and Natural Resources Department's Forestry Division, identifies and develops conservation measures necessary to ensure the survival of plant species within New Mexico. Plant status information is provided within this report as a courtesy to users. Recommendations provided within the ERT may not be sufficient to preclude impacts to rare or sensitive plants, unless conservation measures are identified in coordination with the Endangered Plant Program.
- Additional coordination and/or consultation may also be necessary under the federal ESA or National Environmental Policy Act (NEPA). Further site-specific mitigation recommendations may be proposed during ESA consultation and/or NEPA analyses or through coordination with affected federal agencies.
- Unless a project is marked as confidential in the title or description by the project proponent and if a ERT-generated report is the only response that the project proponent receives from the Department, then the report will be made publicly accessible via the [Public Comment Letters](#) page on the ERT website.